

Multi-Channel Scenario Replay GPS/SBAS Simulation System Spirent STR4500

The use of a multi-channel simulator as the core of any test approach for systems with a GPS navigation capability yields tremendous benefits in verification and evaluation of all aspects of equipment performance.

The STR4500 multi-channel GPS simulator from Spirent provides an easy-to-use but powerful solution for users wishing to replay scenarios. Additional scenarios can be created using Spirent's on-line scenario generation tool.

Key Features

SPIRENT

- GPS L1 C/A code and SBAS generation
- 12 independent signal channels
- Supplied with a wide range of scenarios covering different vehicle types and applications

Inspired Innovation

- On-line scenario generation tool for additional scenarios
- Low cost and compact
- High fidelity, accuracy, repeatability and dynamics
- Interactive control facilities
- Multiple vehicle types with comprehensive error effects
- Assistance data extract utility provided for users working in A-GPS arena
- Capture receiver data plus simulation truth data in NMEA-0183 format
- RTCM-SC104 differential corrections via serial port

The STR4500 is suited to a wide range of applications, from multiple test runs in a development environment to production and field-testing. The STR4500 has been chosen by developers and manufacturers from a wide range of sectors including vehicle tracking and telematics, telecommunications, civil aviation, personal navigation and space.

The simulator offers exceptional repeatability, wide dynamic capability in both doppler and power level, low phase noise, code/carrier coherence and a large number of signal channels to support all-in-view and multipath environments. The data needed to assess almost any possible scenario is available at any time.

In addition, full Satellite Based Augmentation System (SBAS) functionality for WAAS, EGNOS and MSAS is included.

The simulator is supplied with Spirent's graphical SimPLEX software pre-installed on a high-performance Windows® desktop or laptop PC.

A comprehensive range of pre-installed simulations is supplied on CD-ROM, and additional variations of these can be obtained from Spirent via our website. Users of Spirent GSS7700 and GSS6560

> simulators can develop scenarios for download to the STR4500.



Multi-Channel GPS/SBAS Simulation System: Spirent STR4500

Multi-Channel Scenario Replay GPS/SBAS Simulation System Spirent STR4500

SPECIFICATION

Output Frequency

L1

@ 1575.42MHz

Signal Dynamics

± 15000m/s
± 450m/s ²
± 500m/s ³

Signal Accuracy

(RMS max over 1 minute)

 Pseudorange
 ± 10cm

 Pseudorange rate
 ± 1cm/s

 Delta-Pseudorange
 ± 5mm

 Interchannel bias
 zero

Signal Quality

D)

Signal Level

L1 C/A Code

Signal Level Control

Range	+ 15/-20dB
Resolution	0.5dB
Accuracy	±1.0dB RSS uncertainty
	(-15/+15dB)

Signal Generator Unit

Generator Channels	12
Channel type	GPS C/A with data @ 50bps
(independent)	or
	SBAS with data @ 500sps

Size

Weight

Computer Specification

Operating System	Microsoft [®] Windows [®]
	Professional
Power	115/230V,50/60Hz

Product Specification (MS2980) is available on request

Performance figures and data in this document are typical and must be specifically confirmed in writing by Spirent Communications (SW) Ltd. before they become applicable to any particular order or contract.

(HxWxD) 99 x 254 x 345mm

100-264V, 70W (max), 48-62 Hz

(3.9 x 10 x 13.6inch)

5kg (11 lb.)

The publication of information in this document does not imply freedom from patent or other rights of Spirent Communications (SW) Ltd. or others.

For current product data, visit the Spirent websites at www.spirentcom.com or www.spirentfederal.com



SALES AND INFORMATION

Spirent Communications Aspen Way, Paignton Devon, TQ4 7QR, England T: +44 1803 546325 sales-uk@spirentcom.com www.spirentcom.com

SALES AND INFORMATION

Spirent Federal Systems Inc. 22345 La Palma Avenue Suite 105, Yorba Linda, CA 92887 T: +1 714 692 6565 info@spirentfederal.com www.spirentfederal.com

N AND COLUMN					
\bigcirc			T	•	
	Δ			a di ana	
accer [1]	1.0	enale U + + + + register U + + + + leget UH + + +			THE ROAT

-130 dBm nominal

SimPLEX



Copyright © 2006 Spirent plc. All rights reserved. "Spirent" and "Inspired Innovation" are exclusive trademarks of Spirent plc and its subsidiaries. All other names are trademarks or registered trademarks of their respective owners and are hereby acknowledged. Specifications subject to change without notice.