



Pluggable Interface Modules

Current

SFP

Standard, CWDM, DWDM, BIDI, asymmetric BIDI, copper, SGMI, Video, GEAPON/GPON, 10G EPON/10G GPON, WDM PON

Video SFP

Transceiver, Single Tx, Single Rx, Dual Tx, Dual Rx

SFP+

Standard, DWDM/CWDM, BIDI

XFP

Standard, DWDM/CWDM, BIDI

QSFP

Standard, CWDM

CFP4

QSFP28

Legacy

GBIC

Standard, CWDM, BIDI, copper

X2

Standard, DWDM/CWDM

XPAK

XENPAK

Standard, DWDM/CWDM

CFP

Current

SFP

P/N	Data Rate	Distance	LD	PD	DDMI
Standard					
XSM31C-02L(Y)	155Mbps	2KM	1310nm FP(LED)	PIN	N(Y)
XSS31C-20L(Y)	155Mbps	20KM	1310nm FP	PIN	N(Y)
XSS31C-40L(Y)	155Mbps	40KM	1310nm FP	PIN	N(Y)
XSS55C-80L(Y)	155Mbps	80KM	1550nm DFB	PIN	N(Y)
XSM85C-02L(Y)	155Mbps	2km	850nm VCSEL	PIN	N(Y)
XSS31S-20L(Y)	622Mbps	20km	1310nm FP	PIN	N(Y)
XSS31S-40L(Y)	622Mbps	40km	1310nm DFB	PIN	N(Y)
XSS31S-80L(Y)	622Mbps	80km	1310nm DFB	PIN	N(Y)
XSM851-M5L(Y)	1.25Gbps	550m	850nm VCSEL	PIN	N(Y)
XSS311-20L(Y)	1.25Gbps	20km	1310nm FP	PIN	N(Y)
XSS311-40L(Y)	1.25Gbps	40km	1310nm DFB	PIN	N(Y)
XSS551-80L(Y)	1.25Gbps	80km	1550nm DFB	PIN	N(Y)
XSS551-C0LY	1.25Gbps	120km	1550nm DFB	APD	Y
XSM852-M3L(Y)	2.125Gbps	300m	850nm VCSEL	PIN	N(Y)
XSS312-10L(Y)	2.125Gbps	10km	1310nm FP	PIN	N(Y)
XSS312-20L(Y)	2.125Gbps	20km	1310nm DFB	PIN	N(Y)
XSS312-40LY	2.125Gbps	40km	1310nm DFB	APD	Y
XSS552-80LY	2.125Gbps	80km	1550nm DFB	APD	Y
XSM85M-M3L(Y)	2.5Gbps	300m	850nm VCSEL	PIN	N(Y)
XSM31M-02L(Y)	2.5Gbps	2km	1310nm FP	PIN	N(Y)
XSS31M-20L(Y)	2.5Gbps	20km	1310nm DFB	PIN	N(Y)
XSS31M-40LY	2.5Gbps	40km	1310nm DFB	APD	Y
XSS55M-80LY	2.5Gbps	80km	1550nm DFB	APD	Y
XSM854-M5LY	4.25Gbps	500m	850nm VCSEL	PIN	Y
XSM314-02LY	4.25Gbps	2km	1310nm DFB	PIN	Y
XSS314-05LY	4.25Gbps	5km	1310nm DFB	PIN	Y
XSS55C-C0LY	155Mbps	120km	1550nm DFB	PIN	Y
XSS55C-F0LY	155Mbps	150km	1550nm DFB	APD	Y
XSS314-10LY	4.25Gbps	10km	1310nm DFB	pin	Y
XSS314-20LY	4.25Gbps	20km	1310nm DFB	pin	Y
XSS314-30LY	4.25Gbps	30km	1310nm DFB	pin	Y
XSS554-40LY	4.25Gbps	40km	1550nm DFB	pin	Y
XSS554-50LY	4.25Gbps	50km	1550nm DFB	pin	Y
XSS55M-20LY	2.5Gbps	20km	1550nm DFB	pin	N(Y)
XSS55M-40L(Y)	2.488Gbps	40km	1550nm DFB	PIN	N(Y)
CWDM					
XSCxx1-80L(Y)	1.25Gbps	80km	CWDM DFB	PIN	N(Y)
XSCxx1-C0LY	1.25Gbps	120km	CWDM DFB	APD	Y
XSCxxM-40L(Y)	2.5Gbps	40km	CWDM DFB	PIN	N(Y)

XSCxxM-80LY	2.5Gbps	80km	CWDM DFB	APD	Y
XSCxx4-40LY	4.25Gbps	40km	CWDM DFB	PIN	Y
XSCxxC-C0LY	155Mbps	120km	CWDM DFB	PIN	Y
XSCxxC-F0LY	155Mbps	150km	CWDM DFB	APD	Y
XSCxx1-40L(Y)	1.25Gbps	40km	CWDM DFB	pin	N(Y)
XSCxx4-50LY	4.25Gbps	50km	CWDM DFB	pin	Y
XSCxxM-40L(Y)	155Mbps to 2.5Gbps	40km	CWDM DFB	PIN	N(Y)
XSCxxL-80L(Y)	155Mbps to 1.25Gbps	80km	CWDM DFB	PIN	N(Y)
XSCxxM-80LY	155Mbps to 2.5Gbps	80km	CWDM DFB	APD	Y
XSCxx1-G0LY	1.25 / 1.063 Gbps	160km	CWDM DFB	APD	Y
XSCxx1-I0LY	1.25 / 1.063 Gbps	180km	CWDM DFB	APD	Y
XSCxx1-K0LY	1.25 / 1.063 Gbps	200km	CWDM DFB	APD	Y
DWDM					
XSDxx1-80LY	1.25Gbps	80km	cooled DFB	APD	Y
XSDxx1-C0LY	1.25Gbps	120km	cooled DFB	APD	Y
XSDxxM-80LY	2.5Gbps	80km	cooled DFB	APD	Y
XSDxxM-C0LY	2.5Gbps	120km	cooled DFB	APD	Y
XSxxxx-xxLY	1,25/2.5Gbps/155 Mbps to 2,5 Gbps	80/120km	cooled DFB	APD	Y
BIDI					
XSB35C-20x(Y)	155Mbps	20km	1310nm FP	1550nm PIN	N(Y)
XSB53C-20x(Y)	155Mbps	20km	1550nm FP	1310nm PIN	N(Y)
XSB35C-40x(Y)	155Mbps	40km	1310nm FP	1550nm PIN	N(Y)
XSB53C-40x(Y)	155Mbps	40km	1550nm DFB	1310nm PIN	N(Y)
XSB34C-40x(Y)	155Mbps	40km	1310nm FP	1490nm PIN	N(Y)
XSB43C-40x(Y)	155Mbps	40km	1490nm DFB	1310nm PIN	N(Y)
XSB35C-60x(Y)	155Mbps	60km	1310nm DFB	1550nm PIN	N(Y)
XSB53C-60x(Y)	155Mbps	60km	1550nm DFB	1310nm PIN	N(Y)
XSB34C-60x(Y)	155Mbps	60km	1310nm DFB	1490nm PIN	N(Y)
XSB43C-60x(Y)	155Mbps	60km	1490nm DFB	1310nm PIN	N(Y)
XSB351-20x(Y)	1.25Gbps	20km	1310nm FP	1550nm PIN	N(Y)
XSB531-20x(Y)	1.25Gbps	20km	1550nm DFB	1310nm PIN	N(Y)
XSB341-20x(Y)	1.25Gbps	20km	1310nm FP	1490nm PIN	N(Y)
XSB431-20x(Y)	1.25Gbps	20km	1490nm DFB	1310nm PIN	N(Y)
XSB351-40x(Y)	1.25Gbps	40km	1310nm DFB	1550nm PIN	N(Y)
XSB531-40x(Y)	1.25Gbps	40km	1550nm DFB	1310nm PIN	N(Y)
XSB341-40x(Y)	1.25Gbps	40km	1310nm DFB	1490nm PIN	N(Y)
XSB431-40x(Y)	1.25Gbps	40km	1490nm DFB	1310nm PIN	N(Y)
XSB451-80L(Y)	1.25Gbps	80KM	1490nm DFB	1550nm PIN	N(Y)
XSB541-80L(Y)	1.25Gbps	80KM	1550nm DFB	1490nm PIN	N(Y)
XSB451-C0LY	1.25Gbps	120km	1490nm DFB	1550nm APD	Y
XSB541-C0LY	1.25Gbps	120km	1550nm DFB	1490nm APD	Y
XSB45C-80x(Y)	155Mbps	80km	1490nm DFB	1550nm PIN	N(Y)
XSB54C-80x(Y)	155Mbps	80km	1550nm DFB	1490nm PIN	N(Y)
XSB351-02x(Y)	1.25Gbps	2km	1310nm FP	1550nm PIN	N(Y)
XSB531-02x(Y)	1.25Gbps	2km	1550nm FP	1310nm PIN	N(Y)

XSB45M-40x(Y)	2.5Gbps	40km	1490nm DFB	1550nm PIN	N(Y)
XSB54M-40x(Y)	2.5Gbps	40km	1550nm DFB	1490nm PIN	N(Y)
XSB45M-80LY	2.5Gbps	80km	1490nm DFB	1550nm APD	Y
XSB54M-80LY	2.5Gbps	80km	1550nm DFB	1490nm APD	Y
XSB35M-20x(Y)	2.5Gbps	20km	1310nm DFB	1550nm PIN	N(Y)
XSB53M-20x(Y)	2.5Gbps	20km	1550nm DFB	1310nm PIN	N(Y)
XSB45C-C0x(Y)	155Mbps	120km	1490nm DFB	1550nm PIN	N(Y)
XSB54C-C0x(Y)	155Mbps	120km	1550nm DFB	1490nm PIN	N(Y)
XSB35M-20x(Y)	155Mbps to 2.67Gbps	20km	1310nm DFB	1550nm PIN	N(Y)
XSB53M-20x(Y)	155Mbps to 2.67Gbps	20km	1550nm DFB	1310nm PIN	N(Y)
XSB35L-20x(Y)	155Mbps to 1.25Gbps	20km	1310nm FP	1550nm PIN	N(Y)
XSB53L-20x(Y)	155Mbps to 1.25Gbps	20km	1550nm DFB	1310nm PIN	N(Y)
XSB35L-40x(Y)	155Mbps to 1.25Gbps	40km	1310nm DFB	1550nm PIN	N(Y)
XSB53L-40x(Y)	155Mbps to 1.25Gbps	40km	1550nm DFB	1310nm PIN	N(Y)
XSB45M-40x(Y)	155Mbps to 2.67Gbps	40km	1490nm DFB	1550nm PIN	N(Y)
XSB54M-40x(Y)	155Mbps to 2.67Gbps	40km	1550nm DFB	1490nm PIN	N(Y)
XSB34M-20x(Y)	155Mbps to 2.67Gbps	20km	1310nm DFB	1490nm pin	N(Y)
XSB43M-20x(Y)	155Mbps to 2.67Gbps	20km	1490nm DFB	1310nm pin	N(Y)
XSB351-60L(Y)	1.25Gbps	60km	1310nm DFB	1550nm PIN	N(Y)
XSB531-60L(Y)	1.25Gbps	60km	1550nm DFB	1310nm PIN	N(Y)

Asymmetric BIDI

XSB35Q-20L(Y)	155Mbps/2.5Gbps	20km	1310nm FP	1550nm PIN	N(Y)
XSB53R-20L(Y)	2.5Gbps/155Mbps	20km	1550nm DFB	1310nm PIN	N(Y)
XSB35Q-40L(Y)	155Mbps/2.5Gbps	40km	1310nm FP	1550nm PIN	N(Y)
XSB53R-40L(Y)	2.5Gbps/155Mbps	40km	1550nm DFB	1310nm PIN	N(Y)
XSB35V-20L(Y)	622Mbps/2.5Gbps	20km	1310nm FP	1550nm PIN	N(Y)
XSB53W-20L(Y)	2.5Gbps/622Mbps	20km	1550nm DFB	1310nm PIN	N(Y)
XSB35V-40L(Y)	622Mbps/2.5Gbps	40km	1310nm DFB	1550nm PIN	N(Y)
XSB53W-40L(Y)	2.5Gbps/622Mbps	40km	1550nm DFB	1310nm PIN	N(Y)
XSB35X-20L(Y)	1.25Gbps/2.5Gbps	20km	1310nm FP	1550nm PIN	N(Y)
XSB53Y-20L(Y)	2.5Gbps/1.25Gbps	20km	1550nm DFB	1310nm PIN	N(Y)
XSB53Y-40L(Y)	2.5Gbps/1.25Gbps	40km	1550nm DFB	1310nm PIN	N(Y)
XSB35X-40L(Y)	1.25Gbps/2.5Gbps	40km	1310nm DFB	1550nm PIN	N(Y)
XSB35P-20L(Y)	1.25Gbps/155Mbps	20km	1310nm FP	1550nm pin	N(Y)
XSB53O-20L(Y)	155Mbps/1.25Gbps	20km	1550nm FP	1310nm pin	N(Y)
XSB35O-40L(Y)	155Mbps/1.25Gbps	40km	1310nm FP	1550nm pin	N(Y)
XSB53P-40L(Y)	1.25Gbps/155Mbps	40km	1550nm DFB	1310nm pin	N(Y)

Copper

XSUExC-M1RN	10/100 Mbps	0.1 (UTP-5)			N
XSUEX1-M1RN	10/100/1000 Mbps	0.1 (UTP-5)			N
XSUEX1-M1Rx	10/100/1000 Mbps	0.1 (UTP-5)			N

SGMI

XSS31C-10L(Y)	125Mbps	10km	1310nm FP	PIN	N(Y)
XSM31C-02L(Y)	125Mbps	2km	1310nm FP	PIN	N(Y)

GEPON/GPONCall for
information**10G EPON/10G
GPON**Call for
information**WDM PON**Call for
information**Video SFP**

P/N	Data Rate	Distance	LD	PD	DDMI
Transceiver					
XV8313-02LY	SD/HD/3G	2km	FP	PIN	N(Y)
XV8313-20LY	SD/HD/3G	20km	DFB	PIN	N(Y)
XV8313-40LY	SD/HD/3G	40km	DFB	PIN	N(Y)
XV8513-40LY	SD/HD/3G	40km	DFB	PIN	N(Y)
XVBxx3-40LY	SD/HD/3G	40km	CWDM	PIN	N(Y)
Single Tx					
XV0303-02LY	SD/HD/3G	2km	FP	PIN	N(Y)
XV0303-20LY	SD/HD/3G	20km	DFB	PIN	N(Y)
XV0303-40LY	SD/HD/3G	40km	DFB	PIN	N(Y)
XV0503-40LY	SD/HD/3G	40km	DFB	PIN	N(Y)
XVAxx3-40LY	SD/HD/3G	40km	CWDM	PIN	N(Y)
Single Rx					
XV1103-00LY	SD/HD/3G	≤40km	/	PIN	N(Y)
XV1103-00LY	SD/HD/3G	≤40km	/	PIN	N(Y)
Dual Tx					
XV6333-02LY	SD/HD/3G	2km	FP	/	N(Y)
XV6333-20LY	SD/HD/3G	20km	DFB	/	N(Y)
XV6333-40LY	SD/HD/3G	40km	DFB	/	N(Y)
XV6553-40LY	SD/HD/3G	40km	DFB	/	N(Y)
XVCxx3-40LY	SD/HD/3G	40km	CWDM	/	N(Y)
Dual Rx					
XV7113-00LN	SD/HD/3G	≤40km	/	PIN	N
XV7113-00LY	SD/HD/3G	≤40km	/	PIN	N(Y)

SFP+

P/N	Data Rate	Distance	LD	PD	DDMI
Standard					
XTM858-M1LY	8.5Gbps	150m	850nm VSCEL	PIN	Y
XTM318-02LY	8.5Gbps	2km	1310nm FP	PIN	Y
XTS318-10LY	8.5Gbps	10km	1310nm FP	PIN	Y
XTS318-40LY	8.5Gbps	40km	Cooled EML	PIN	N
XTS318-80LY	8.5Gbps	80km	Cooled EML	APD	Y
XTS31A-10LY	10Gbps	10km	1310nm DFB	PIN	Y
XTSxxA-10LY	10Gbps	10km	/	PIN	Y
XTS31A-10LY	10Gbps	10km	1310nm DFB	PIN	Y
XTS55A-10LY	10Gbps	10km	Cooled EML	PIN	Y
XTM85A-M3LY	10Gbps	300m	850nm VSCEL	PIN	Y
XTM858-M1LY	8.5Gbps	150m	850nm VSCEL	PIN	Y
XTM318-02LY	8.5Gbps	2km	1310nm DFB	PIN	Y
XTS55A-40LY	10Gbps	40km	Cooled EML	PIN	Y
XTS318-10LY	8.5Gbps	10km	1310nm DFB	pin	Y
XTS31A-20LY	10Gbps	20km	1310nm DFB	PIN	Y
XTS318-20LY	8.5Gbps	20km	1310nm DFB	pin	Y
XTM316-02LY	6.25Gbps	2km	1310nm FP	PIN	Y
XTM31A-M2LY	10Gbps	220m	1310nm FP	PIN	Y
XTS316-10LY	6.25Gbps	10km	1310nm DFB	pin	Y
XTM31A-02LY	10Gbps	2km	1310nm FP	pin	Y
XTS55A-80LY	10Gbps	80km	Cooled EML	APD	Y
XTS55A-A0LY	10Gbps	100km	Cooled EML		Y
XTSxxA-40LY	10Gbps	40km	/	PIN	Y
XTS55A-40LY	10Gbps	40km	Cooled EML	/	Y
XTS31A-40LY	10Gbps	40km	1310nm DFB	PIN	Y
XTS55A-40LY	10Gbps	40km	Cooled EML	PIN	Y
XTSxxA-80LY	10Gbps	80km	/	APD	Y
XTS55A-80LY	10Gbps	80km	Cooled EML	APD	Y
XTS55A-80LY	10Gbps	80km	Cooled EML	APD	Y
XTS55A-80LY	10Gbps	80km	Cooled EML	/	Y
XTM85B-M1LY	16Gbps	125m	850nm VSCEL		Y
XTS31B-10LY	16Gbps	10km	Cooled EML		Y
XTS55B-40LY	16Gbps	40km	Cooled EML		Y
DWDM/CWDM					
XTCxx8-10LY	8.5Gbps	10km	CWDM DFB	PIN	Y
XTCxxA-10LY	10Gbps	10km	CWDM DFB	PIN	Y
XTCxx8-20LY	8.5Gbps	20km	CWDM DFB	pin	Y
XTCxxA-40LY	10Gbps	40km	Cooled EML	pin	Y
XTCxxA-xxLY	10Gbps	70 - 80km	Cooled EML	APD	Y
XTDxxA-40LY	10Gbps	40km	Cooled EML	pin	Y
XTDxxA-80LY	10Gbps	80km	Cooled EML	APD	Y
XTDTCA-80LY	10Gbps	80km		APD	Y

XTCxxB-10LY	16Gbps	10km			Y
XTCxxB-40LY	16Gbps	40km			Y
XTDxxB-40LY	16Gbps	40km			Y
BIDI					
XTB23A-10LY	10Gbps	10km	1270nm DFB	1330nm PIN	Y
XTB32A-10LY	10Gbps	10km	1330nm DFB	1270nm PIN	Y
XTBxxA-20LY	10Gbps	20km	DFB	PIN	Y
XTBxxA-40LY	10Gbps	40km	DFB	PIN	Y
XTBxxA-50LY	10Gbps	50km	DFB	APD	Y
XTBxxA-60LY	10Gbps	60km	DFB	APD	Y

XFP

P/N	Data Rate	Distance	LD	PD	DDMI
Standard					
XXM85A-M3LY	10Gbps	300m	850nm VSCEL	PIN	Y
XXS31A-10LY	10Gbps	10km	1310nm UNCOOLED EML	PIN	Y
XXS55A-40LY	10Gbps	40km	1550nm COOLED EML	PIN	Y
XXS31A-10LY	10Gbps	10km	1310nm DML DFB	PIN	Y
XXS55A-40LY	10Gbps	40km	1550nm cooled EML		
XXS55A-80LY	10Gbps	80KM	1550nm COOLED EML	APD	Y
XXS31A-10LY	10Gbps	10km		PIN	Y
XXS31A-40LY	10Gbps	40km		PIN	Y
XXS55A-80LY	10Gbps	80km		APD	Y
XXM31A-02LY	10Gbps	2km	1310nm FP	PIN	Y
XXS31A-20LY	10Gbps	20km	1310nm Uncooled EML	PIN	Y
XXS55A-C0LY	10Gbps	120km	1550nm COOLED EML	APD	Y
DWDM/CWDM					
XXDxxA-40LY	10Gbps	40km	DWDM rated EML	PIN	Y
XXDxxA-80LY	10Gbps	80KM	DWDM-rated EML	APD	Y
XXDxxA-C0LY	10Gbps	120KM	DWDM-rated EML	APD	Y
XXCxxA-40LY	10Gbps	40km	CWDM EML	PIN	Y
XXCxxA-10LY	10Gbps	10km	Uncooled CWDM DFB	PIN	Y
XXCxxA-70LY	10Gbps	70km	COLD EML	APD	Y
XXCxxA-80LY	10Gbps	80km	COLD EML	APD	Y
BIDI					
XXB23A-10LY	10Gbps	10km	1270nm DFB	1330nm PIN	Y
XXB32A-10LY	10Gbps	10km	1330nm DFB	1270nm PIN	Y

QSFP

P/N	Data Rate	Distance	Wavelength	Date Rate per Channel	DDMI
Standard					
XQS313-02PY	40 Gbps	2 km	1310 nm	10 Gbps	Y
XQM853-M1PY	40 Gbps	100 m	850 nm	10 Gbps	Y
XQM853-M3PY	40 Gbps	300 m	850 nm	10 Gbps	Y
XQS313-01PY	40 Gbps	1,4 km	1310 nm	10 Gbps	Y
XQS313-10PY	40 Gbps	10 km	1310 nm	10 Gbps	Y
CWDM					
XQC273-02LY	40 Gbps	2 km	1270 nm	10 Gbps	Y
XQC273-10LY	40 Gbps	10 km	1270 nm	10 Gbps	Y
XQC273-30LY	40 Gbps	30 km	1270 nm	10 Gbps	Y
XQC273-xxLY	40 Gbps	150 m/2 km	1270 nm	10 Gbps	Y

CFP4

P/N	Data Rate	Distance	LD	PD	DDMI
Call for information					

QSFP28

P/N	Data Rate	Distance	LD	PD	DDMI
Call for information					

Legacy

GBIC

P/N	Data Rate	Distance	LD	PD	DDMI
Standard					
XGM851-M5SN	1.25Gbps	550m	850nm VSCEL	PIN	N
XGS311-20SN	1.25Gbps	20km	1310nm FP	PIN	N
XGS311-40SN	1.25Gbps	40km	1310nm DFB	PIN	N
XGS551-80SN	1.25Gbps	80km	1550nm DFB	PIN	N
CWDM					
XGCxx1-80SN	1.25Gbps	80km	CWDM DFB	PIN	N
BIDI					
XGB351-20SN	1.25Gbps	20km	1310nm FP	1550nm PIN	N
XGB531-20SN	1.25Gbps	20km	1550nm DFB	1310nm PIN	N
XGB351-40SN	1.25Gbps	40km	1310nm DFB	1550nm PIN	N
XGB531-40SN	1.25Gbps	40km	1550nm DFB	1310nm PIN	N
XGB341-20S(Y)	1.25Gbps	20km	1310nm FP	1490nm PIN	N(Y)
XGB431-20S(Y)	1.25Gbps	20km	1490nm DFB	1310nm PIN	N(Y)
XGB341-40S(Y)	1.25Gbps	40km	1310nm DFB	1490nm PIN	N(Y)
XGB431-40S(Y)	1.25Gbps	40km	1490nm DFB	1310nm PIN	N(Y)
Copper					
XGUEG1-M1RN	1000Mbps	0.1(UTP-5)			N

X2

P/N	Data Rate	Distance	LD	PD	DDMI
Standard					
X2M85A-M3SY	10Gbps	300m	850nm VSCEL	PIN	Y
X2S31A-10SY	10Gbps	10km	1310nm DFB	PIN	Y
X2S55A-40SY	10Gbps	40km	Cooled EA-DFB	PIN	Y
X2M31A-M2SY	10Gbps	220m	1310nm DFB	PIN	Y
X2S55A-80SY	10Gbps	80km	Cooled EA-DFB	APD	Y
DWDM/CWDM X2					
X2DxxA-40SY	10Gbps	40km	Cooled EA-DFB	PIN-PD	Y
X2DxxA-80SY	10Gbps	80km	Cooled EA-DFB/APD		Y
X2CxxA-40SY	10Gbps	40km	Cooled EA-DFB	pin	Y

XPAK

P/N	Data Rate	Distance	LD	PD	DDMI
Standard					
XPM85A-M3SY	10Gbps	300m	850nm VSCSEL	PIN	Y
XPS31A-10SY	10Gbps	10km	1310nm DFB	PIN	Y

XENPAK

P/N	Data Rate	Distance	LD	PD	DDMI
Standard					
XEM85A-M3SY	10Gbps	300m	850nm VSCSEL	PIN	Y
XES31A-10SY	10Gbps	10km	1310nm DFB	PIN	Y
XEM31A-M2SY	10Gbps	220m	1310nm DFB	PIN	Y
XES55A-40SY	10Gbps	40km	Cooled EA-DFB	PIN	Y
XES55A-80SY	10Gbps	80km	Cooled EA-DFB	PIN	Y
DWDM/CWDM					
XEDxxA-40SY	10Gbps	40km	Cooled EA-DFB	PIN-PD	Y
XECxxA-40SY	10Gbps	40km	Cooled EA-DFB	pin	Y

CFP

P/N	Data Rate	Distance	LD	PD	DDMI
Standard					
XCCxx9-10LY	100Gbps	10km		PIN	Y
XCDxxx-20SY	TBD	1500km		PIN	Y

To find out more, please contact

E-mail: info@xenya.si

Web: www.xenya.si